

Label Size: 2.1875" x 11.0"

Bottle Size: 16oz jar

**RECOMMENDED DOSE/DOSE RECOMMANDÉE (ADULTS/ADULTES):** Take two (2) teaspoons mixed with liquid, three times a day or as otherwise directed by a healthcare professional. Take between meals or 20 minutes before meals, 3 times a day. Avoid taking at bedtime. Take a few hours before or after taking other medications. Additional Dosage Information: Dosage unit based on 1 teaspoon. Prendre deux (2) cuillerées à thé dans un liquide trois fois par jour ou selon les instructions d'un professionnel de la santé. À prendre 3 fois par jour entre les repas ou 20 minutes avant les repas. Éviter de prendre le produit au coucher. Prendre le produit quelques heures avant ou après tout autre médicament. Renseignements posologiques supplémentaires - Unité posologique de 1 cuillerée à thé

**RECOMMENDED DURATION OF USE/DURÉE D'UTILISATION RECOMMANDÉE:** Consult a health care practitioner for use beyond duration 12 weeks / Consultez un professionnel de la santé si vous pensez utiliser ce produit pendant plus de 12 semaines.

**RECOMMENDED USE OR PURPOSE/USAGE OU LES FINS RECOMMANDÉS:** Source of antioxidant(s)/Provides antioxidant(s). Source of antioxidant(s)/Provides antioxidant(s) that help(s) fight/protect (cell) against/reduce (the oxidative effect of/the oxidative damage caused by/cell damage caused by) free radicals. Helps relieve minor inflammations of the gastrointestinal tract, abdominal pain and burning sensation in the stomach (dyspepsia). / Source d'antioxydant(s)/ Apport d'antioxydant(s). Source d'antioxydant(s)/Apport d'antioxydant(s) qui aide(nt) à protéger les cellules en luttant contre l'effet oxydatif des radicaux libres et en réduisant les dommages oxydatifs qu'ils causent. Aide à soulager les inflammations mineures des voies digestives, les douleurs abdominales et les sensations de brûlure d'estomac (émoullent).

**RISK INFORMATION/RENSEIGNEMENTS SUR LES RISQUES:**  
**KNOWN ADVERSE REACTIONS/ RÉACTIONS INDÉSIRABLES CONNUES:**  
 Some people may experience mild gastrointestinal bloating, constipation or indigestion./ Certaines personnes peuvent ressentir un léger ballonnement, de la constipation ou de l'indigestion.

**CAUTIONS AND WARNINGS / PRÉCAUTIONS ET MISES EN GARDE:**  
 Consult a health care practitioner prior to use if you are pregnant or breastfeeding. Consult a health care practitioner/health care provider/health care professional/doctor/physician if symptoms persist or worsen. Zinc supplementation can cause a copper deficiency. If you are unsure whether you are taking enough copper, consult a health care practitioner prior to use./ Consultez un professionnel de la santé avant d'utiliser ce produit si vous êtes enceinte ou si vous allaitez. Consultez un professionnel de la santé / un fournisseur de soins de santé / un médecin si vos symptômes persistent ou empirent. Les suppléments de zinc peuvent causer une carence en cuivre. Si vous n'êtes pas sûr(e) que vos apports en cuivre soient suffisants, consultez un professionnel de la santé avant d'utiliser ce produit.

**KEEP OUT OF REACH OF CHILDREN**  
 Store in a cool, dry area. Sealed with an imprinted safety seal for your protection. Product # 6417-CAN Rev. 12/19



Medicinal Ingredients/Ingrédients médicinaux:	
	Quantity per dose (tsp) / Quantity per posologique (tsp)
N-Acetylglucosamine/N-acétylglucosamine	500 mg/500 mg
Okra/Gombo	150 mg/150 mg
Aloe vera	25 mg/25 mg
Deglycyrrhizinated licorice/Régisse déglycyrrhizinée 4.0:1.0 /4.0:1.0	200 mg/200 mg
L-Glutamine/L- glutamine	2 g/2 g
MSM/ MSM	250 mg/250 mg
Zinc L-carnosine/Zinc L-carnosine†(5.5 mg Zinc/ 5.5 mg de Zinc)	25 mg/25 mg

† PepZinGI® is a registered trademark of Hamari Chemicals USA, Inc.



This product is gluten, dairy and shellfish free.



Exclusive distributor for /  
 Distributeur exclusif par :  
 Biotics Research Canada, Biorés  
 800 945 1199 • www.bioticscan.com  
 Manufactured in the USA  
 Biotics Research, Inc. Texas 77471  
 © Copyright 2014



NET WT. 6.7 OUNCES (189 g)

12/20/19

6417-CAN

QC Approved: \_\_\_\_\_

Marketing Approved: \_\_\_\_\_