

BioDoph-3 GI™

Targeted GI Intensive Probiotic

Clinical Benefits*

- Clinically validated multi-species formula.
- Two randomized trials found benefit for participants with IBS, including improvements in indices related to quality of life and visceral hypersensitivity, as well as comfort and stool consistency.
- Shown to provide comfort to those with symptoms related to lactose intolerance.
- Likely mechanisms include promotion of gastrointestinal epithelial repair, modulation of microbiota and parasympathetic activity, inhibition of pathogenic species and inflammatory cytokines, and upregulation of SCFA production.
- Clinical trials all use the same dose, 3×10^9 cfus/capsule, given once per day.

Strain Specific Benefits

BioDoph-3 GI™ provides clinically validated probiotic strains at a dosage shown to be effective in randomized and controlled trials. Mediated via a combination of mechanisms that include immune modulation, secretion of anti-inflammatory exopolysaccharides, and enhanced epithelial regeneration, probiotics are widely recognized to promote intestinal barrier integrity and gut mucosal homeostasis.¹ Evidence has also emerged to support a much broader role for probiotics, not limited to gastrointestinal health. Crosstalk between gut microbiota and the liver demonstrate a role in liver health, for example, with gut-derived lipopolysaccharide (LPS) and short chain fatty acid (SCFA) production influencing liver injury and regeneration.² Probiotics also modulate the gut-brain axis, as evidenced by several clinical trials indicating improvements in sleep, feelings of anxiety and low mood.³⁻⁶

However, probiotic strain specificity as well as the combination effects of multi-species mixtures significantly influence their functional characteristics, requiring validation of efficacy for specific purposes. For example, it has been proposed that each strain may have a particular influence on the gastrointestinal tract, and that multi-species probiotics may have synergistic effects compared to isolated strains.⁷ Not every strain within a bacterial species has the same properties, i.e., **probiotic effects are strain specific**. For instance, in an animal study only one of four *Bifidobacterium* strains prevented diet-induced weight gain.⁸ A genomic analysis of 140 *Bifidobacterium bifidum* strains found many differences in strain-specific genes, which were associated with specific niches, indicating the importance of using specific strains with established functional effects.⁹



BioDoph-3 GI™
available in a
30 capsule
bottle (#1203)

Clinical Trial Validation for Gastrointestinal Health

BioDoph-3 GI™ contains two specific strains of *Lactobacillus plantarum* (KABP-022 and KABP-023) and *Pediococcus acidilactici* KABP-021 in a 1:1:1 ratio. In a double-blinded and randomized trial, it was shown to significantly improve IBS-related quality of life compared to placebo among participants meeting the Rome-III criteria for IBS-D.¹⁰ Additionally, it is the first multispecies probiotic to demonstrate improvement in the Visceral Sensitivity Index (VSI), a validated indicator of gastrointestinal symptom-specific anxiety.^{11,12} Both a high and low dose were used, with no significant differences between them by the end of the trial, suggesting that the low dose (3×10^9 cfus/capsule given once daily) was as effective as a dose 5 times higher.

In a second randomized trial with three parallel arms, participants meeting Rome IV criteria for IBS (with diarrhea-predominant or mixed subtype) had significant improvements in quality of life, comfort levels, and stool consistency when given the same dosage of **BioDoph-3 GI™** compared to placebo, with even greater improvements when taken along with an antispasmodic.¹³

In an additional randomized and controlled trial, adult participants with lactose intolerance were given the same dosage of **BioDoph-3 GI™**. They had significant improvements in overall symptom scores compared to placebo, as well as sub-scores for abdominal comfort



Biotics Research Canada Box 283 Keswick On L4P 3C8
orders@bioticscan.com

(905)476-3554

and flatulence.¹⁴ Lactose intolerance was confirmed by both subjective and objective assessments. Improvements were not only statistically significant, but also clinically meaningful; nearly half of those receiving the probiotic had reductions of 50% or more, compared to none of those receiving placebo. In agreement with the initial trial, this study also suggests (though it was not designed to determine) that **BioDoph-3 GI™** may support visceral comfort with hypersensitivity being a contributing factor to digestive symptoms (particularly after lactose ingestion) in sensitive populations.¹⁵

Potential Mechanisms of Action

In vitro, the strains in **BioDoph-3 GI™** have been shown to produce the neurotransmitter acetylcholine, the SCFA acetate, antimicrobials against six IBS-specific bacterial strains, and polyphosphate (poly P), a repeated structure of phosphates which protects the intestinal cells from oxidative stress and inflammation and helps to maintain intestinal barrier integrity.¹⁶⁻¹⁹ Acetylcholine has previously been linked to IBS; women with elevated serum cholinesterase activity were found to be twice as likely to be diagnosed with IBS-D.²⁰ Normally, the vagus nerve is the main regulator of the GI tract, and acetylcholine is the primary neurotransmitter of the parasympathetic nervous system. Acetylcholine binds to macrophages and inhibits the NFkB-mediated production of pro-inflammatory cytokines. Enhanced cholinesterase activity leads to more rapid degradation of acetylcholine, and inhibition of this anti-inflammatory pathway. Inhibition of vagal activity (and subsequent acetylcholine release) is the most likely pathway by which stress aggravates symptoms associated with IBS.²¹ It also highlights a possible mechanism by which **BioDoph-3 GI™** may modulate the gut-brain axis; increasing the availability of acetylcholine may enhance parasympathetic activity and support healthy inflammation.

SCFAs are important to both intestinal and metabolic health; for example, animal studies suggest that restoration of acetate levels may underlie the protection Lactobacillus species provide against diet-induced metabolic syndrome.²²

Additionally, in two animal models of colitis **BioDoph-3 GI™** demonstrated a protective effect, limiting the production of inflammatory cytokines IL-6 and IL-23, and inducing beneficial processes in the gut mucosa (none of these occurred with the VSL#3 multi-species probiotic).²³ It is likely that repair of the intestinal barrier is at least partly mediated by poly P production.²⁴

References

- Flidou E, Kolios G. Probiotics in Intestinal Mucosal Healing: A New Therapy or an Old Friend? *Pharmaceuticals (Basel)*. 2021 Nov;19(11):181.
- Zheng Z, Wang B. The Gut-Liver Axis in Health and Disease: The Role of Gut Microbiota-Derived Signals in Liver Injury and Regeneration. *Front Immunol*. 2021 Dec 10;12:77526.
- Tran N, Zhebrak M, Yacob C, et al. The gut-brain relationship: Investigating the effect of multispecies probiotics on anxiety in a randomized placebo-controlled trial of healthy young adults. *J Affect Disord*. 2019 Jun 1;252:271-277.
- Ho YT, Tsai YC, Kuo TB, et al. Effects of *Lactobacillus plantarum* PS128 on Depressive Symptoms and Sleep Quality in Self-Reported Insomniacs: A Randomized, Double-Blind, Placebo-Controlled Pilot Trial. *Nutrients*. 2021 Aug 17;13(8):2820.
- Lee HJ, Hong JK, Kim JK, et al. Effects of Probiotic NVP-1704 on Mental Health and Sleep in Healthy Adults: An 8-Week Randomized, Double-Blind, Placebo-Controlled Trial. *Nutrients*. 2021 Jul 30;13(8):2660.
- Zagórska A, Marcinowska M, Jamrozik M, et al. From probiotics to psychobiotics - the gut-brain axis in psychiatric disorders. *Benef Microbes*. 2020 Dec 2;11(8):717-732.
- Yoon JS, Sohn W, Lee OY, et al. Effect of multispecies probiotics on irritable bowel syndrome: a randomized, double-blind, placebo-controlled trial. *J Gastroenterol Hepatol*. 2014 Jan;29(1):529.
- Yin YN, Yu QF, Fu N, et al. Effects of four *Bifidobacteria* on obesity in high-fat diet induced rats. *World J Gastroenterol*. 2010 Jul 21;16(27):3394-401.
- Lu W, Pei Z, Zang M, et al. Comparative Genomic Analysis of *Bifidobacterium bifidum* Strains Isolated from Different Niches. *Genes (Basel)*. 2021 Sep 25;12(10):1504.
- Lorenzo-Zúñiga V, Llop E, Suárez C, et al. I3.1, a new combination of probiotics, improves irritable bowel syndrome-related quality of life. *World J Gastroenterol*. 2014 Jul 14;20(26):8709-16.
- Labus JS, Bolus R, Chang L, et al. The Visceral Sensitivity Index: development and validation of a gastrointestinal symptom-specific anxiety scale. *Aliment Pharmacol Ther*. 2004 Jul 1;20(1):89-97.
- Jerndal P, Ringström G, Agerforz P, et al. Gastrointestinal-specific anxiety: an important factor for severity of GI symptoms and quality of life in IBS. *Neurogastroenterol Motil*. 2010 Jun;22(6):646-e179.
- Barraza-Ortiz DA, Pérez-López N, Medina-López VM, et al. Combination of a Probiotic and an Antispasmodic Increases Quality of Life and Reduces Symptoms in Patients with Irritable Bowel Syndrome: A Pilot Study. *Dig Dis*. 2021;39(3):294-300.
- Cano-Contreras AD, Minero Alfaro IJ, Medina López VM, et al. Efficacy of I3.1 Probiotic on Improvement of Lactose Intolerance Symptoms: A Randomized, Placebo-controlled Clinical Trial. *J Clin Gastroenterol*. 2022 Feb 1;56(2):141-147.
- Zhu Y, Zheng X, Cong Y, et al. Bloating and distension in irritable bowel syndrome: the role of gas production and visceral sensation after lactose ingestion in a population with lactase deficiency. *Am J Gastroenterol*. 2013 Sep;108(9):1516-25.
- Segawa S, Fujiya M, Konishi H, et al. Probiotic-derived polyphosphate enhances the epithelial barrier function and maintains intestinal homeostasis through integrin-p38 MAPK pathway. *PLoS One*. 2011;6(8):e23278.
- Pérez M, Asto E, Huedo P, et al. Derived Postbiotics of a Multi-strain Probiotic Formula Clinically Validated for the Treatment of Irritable Bowel Syndrome. *The FASEB Journal*. 2020; 34(5):1-1.
- Tanaka K, Fujiya M, Konishi H, et al. Probiotic-derived polyphosphate improves the intestinal barrier function through the caeolin-dependent endocytic pathway. *Biochem Biophys Res Commun*. 2015 Nov 20;467(3):541-8.
- Isozaki S, Konishi H, Fujiya M, et al. Probiotic-Derived Polyphosphate Accelerates Intestinal Epithelia Wound Healing through Inducing Platelet-Derived Mediators. *Mediators Inflamm*. 2021 Mar 29;2021:5582943.
- Hod K, Sperber AD, Mahshar N, et al. Serum cholinesterase activity is elevated in female diarrhea-predominant irritable bowel syndrome patients compared to matched controls. *Neurogastroenterol Motil*. 2018 Dec;30(12):e13464.
- Bonaz B, Bazin T, Pelliessier S. The Vagus Nerve at the Interface of the Microbiota-Gut-Brain Axis. *Front Neurosci*. 2018 Feb 7;12:249.
- Wang G, Zhu G, Chen C, et al. Lactobacillus strains derived from human gut ameliorate metabolic disorders via modulation of gut microbiota composition and short-chain fatty acids metabolism. *Benef Microbes*. 2021 Jun 15;12(3):267-281.
- Lorén V, Manyé J, Fuentes MC, et al. Comparative Effect of the I3.1 Probiotic Formula in Two Animal Models of Colitis. *Probiotics Antimicrob Proteins*. 2017 Mar;9(1):71-80.
- Saiki A, Ishida Y, Segawa S, et al. A *Lactobacillus* mutant capable of accumulating long-chain polyphosphates that enhance intestinal barrier function. *Biosci Biotechnol Biochem*. 2016 May;80(5):955-61.

Supplement Facts		
Serving Size: 1 Capsule		
Servings Per Container: 30		
Floradapt™ Intensive G.I. proprietary probiotic blend (providing 3 Billion CFUs)	150 mg	% Daily Value
Pacidilactici KABP™-021		*
L. plantarum KABP™-022		*
L. plantarum KABP™-023		*
* Daily Value not established		
Other ingredients: Microcrystalline cellulose, vegetable capsule shell (hydroxypropyl methylcellulose), magnesium stearate (vegetable source) and silicon dioxide.		
Floradapt™ and KABP™ are trademarks of Kaneka Corporation.		
Recommendation: One (1) capsule each day as a dietary supplement or as otherwise directed by a healthcare professional.		
KEEP OUT OF REACH OF CHILDREN Store in a cool, dry area. Sealed with a safety seal for your protection.		



Biotics Research Canada Box 283 Keswick On L4P 3C8
orders@bioticscan.com

(905)476-3554